

TU

251 North Avenue West, 2<sup>nd</sup> Floor  
Westfield, New Jersey 07090  
Tel.: (908) 518-7700  
Fax: (908) 518-7795

**Mayer Fortkort & Williams, PC**  
**Attorneys At Law**

**RECEIVED**  
**CENTRAL FAX CENTER**

**SEP 07 2005**

**Fax**

**To:** Examiner Catherine S. Williams

**From:** Marjorie Scariati

Group Art Unit 3763

**Fax:** 571-273-8300

**Pages:** 10

**Phone:**

**Date:** 09/07/2005

**Re:** 10/688,224

**CC:**

☐ **Urgent**

☒ **For Review**

☐ **Please Comment**

☐ **Please Reply**

☐ **Please Recycle**

***PRIVACY AND CONFIDENTIALITY NOTICE***

*The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of the individual or entity to whom it is addressed and others authorized to receive it. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is strictly prohibited.*

*If you received this communication in error, please immediately notify us by a collect telephone call to the writer and return the original message and documents to us at the above address via the United States postal service.*

**PLEASE SEE ATTACHED RESPONSE TO OFFICE ACTION**

Serial No.: 10/688,224  
Examiner: Catherine S. Williams  
Group Art Unit: 3763

**RECEIVED  
CENTRAL FAX CENTER**

**SEP 07 2005**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Sharon Mi Lyn Tan

Serial No.: 10/688,224

Filed: 10/15/2003

Title: HEMODIALYSIS CATHETER WITH A FALSE LUMEN FOR DELIVERY  
OF ANTIMICROBIAL AGENTS TO PREVENT INFECTION OF THE  
INSIDE AND OUTSIDE SURFACES OF THE CATHETER

Art Unit: 3763

Confirmation  
No: 9465

Examiner: Catherine S. Williams

Docket No.: 10177-151-999 (now 02-161US01)

VIA FACSIMILE 571-273-8300  
Mail Stop AMENDMENT  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**RESPONSE TO OFFICE ACTION**

Sir:

This Response is submitted in response to the Office Action mailed June 7, 2005. A response to the Office Action is due September 7, 2005; thus this response is being timely filed. Please enter the following amendment and remarks.